

Model	S/N	Compatible Power Supplies
ESWL SCALE	any	n/a - this product does not use an AC Adaptor
MP-20	any	Power Brick: P250115216, External, 9VDC 2.5A, Female Includes US Power Cord Compatible international power cords: EU Power Cord: 328100001, CEE 7/16 plug UK Power Cord: 328100003, BS 1363 plug
PC-150 BENCH SCALE (non-legacy)	7d360550xxxx	AD007002 includes: Power Brick: P250115220, External, 9 VDC, 3 A, Female US Power Cord: P328130014, NEMA 5-15 plug
SPS-10C SCALE	any	Wall adaptor: AD001001, 9 VDC, 100 mA, Male (US Only)
SPS-70 DL SCALE	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female Approved alternative is AD007003 which includes: Power Brick: P250117356, External, 12 VDC, 2A, Female US Power Cord: 328100002, NEMA 1-15 plug Compatible international power cords: EU Power Cord: 328100001, CEE 7/16 plug UK Power Cord: 328100003, BS 1363 plug Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
SRP-300 SCALE	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female Approved alternative is AD007003 which includes: Power Brick: P250117356, External, 12 VDC, 2A, Female US Power Cord: 328100002, NEMA 1-15 plug Compatible international power cords: EU Power Cord: 328100001, CEE 7/16 plug UK Power Cord: 328100003, BS 1363 plug Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
TCS3T-12LB COUNTING SCALE	any	n/a - Scale plugs into wall socket
TCS3T-30LB COUNTING SCALE		
TCS3T-60LB COUNTING SCALE		
TCS3T-6LB COUNTING SCALE		
TI-500 INDICATOR (6 Keys)	7d200810xxxxxx	AD007004 includes: Wall adaptor: P250117348, External, 6 VDC,600 mA, Female US Plug: P250990001, NEMA 1-15 plug Compatible international plugs: EU Plug: P250990002, CEE 7/16 plug UK Plug: P250990003, BS 1363 plug Originally shipped with a wall adaptor: P250117369, 6 VDC, 300 mA Female
TI-500 RF indicator	any	AD007004 includes: Wall adaptor: P250117348, External, 6 VDC,600 mA, Female US Plug: P250990001, NEMA 1-15 plug Compatible international plugs: EU Plug: P250990002, CEE 7/16 plug UK Plug: P250990003, BS 1363 plug Originally shipped with a wall adaptor: P250117369, 6 VDC, 300 mA Female
TI-500 RF SS DIGITAL INDICATOR	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female Approved alternative is AD007003 which includes: Power Brick: P250117356, External, 12 VDC, 2A, Female US Power Cord: 328100002, NEMA 1-15 plug Compatible international power cords: EU Power Cord: 328100001, CEE 7/16 plug UK Power Cord: 328100003, BS 1363 plug Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
TI-500 SL INDICATOR	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female Approved alternative is AD007003 which includes: Power Brick: P250117356, External, 12 VDC, 2A, Female US Power Cord: 328100002, NEMA 1-15 plug Compatible international power cords: EU Power Cord: 328100001, CEE 7/16 plug UK Power Cord: 328100003, BS 1363 plug Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female

Model	S/N	Compatible Power Supplies
TI-500E INDICATOR (non-legacy)	7d190370xxxxxx	AD007001 includes:
	7d190371xxxxxx	Wall adaptor: P250007381, External, 9 VDC,600 mA, Female
	7d190372xxxxxx	US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
		UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117236, 9 VDC, 500 mA Female
TI-500E PLUS INDICATOR	any	AD007001 includes:
		Wall adaptor: P250007381, External, 9 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
		UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117236, 9 VDC, 500 mA Female
TI-500E SS INDICATOR	7d201110xxxxxx	Power Brick: P250117356, Internal, 12 VDC, 2A, Female
	7d201111xxxxxx	US Power Cord: P328130009, NEMA 1-15 plug, S&T
	7d201112xxxxxx	EU Power Cord: 328100021, CEE 7/16 plug, S&T
		UK Power Cord: 328100023, BS 1363 plug, S&T
TI-1520 Digital Indicator (non-legacy)	7d750760xxxxxx	Power Brick: P250117356, Internal, 12 VDC, 2A, Female
		US Power Cord: P328130009, NEMA 1-15 plug, S&T
		EU Power Cord: 328100021, CEE 7/16 plug, S&T
		UK Power Cord: 328100023, BS 1363 plug, S&T
TI-1680 Digital Indicator	7d750960000001 to 7d750960000650	Power Brick: P250115220, Internal, 9 VDC, 3 A
		US Power Cord: P328130009, NEMA 1-15 plug, S&T
	7d750960000650+ and 7d750961xxxxxx	Power Brick: P250117317, Internal, 9 VDC, 2 A
		US Power Cord: P328130009, NEMA 1-15 plug, S&T
WB50xx-AWP Portable Scale	any	AD007004 includes:
		Wall adaptor: P250117348, External, 6 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
		UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117369, 6 VDC, 300 mA Female
WB50xx-SWP Portable Scale	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
Legacy		
TI-300E	any	AD007001 includes:
		Wall adaptor: P250007381, External, 9 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
		UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117236, 9 VDC, 500 mA Female
TI-500	any	Wall adaptor: P250116238, External, 12VDC, 500 mA, Female
		Originally shipped with wall adaptor: P250116237, 12 VDC, 500 mA Female

Model	S/N	Compatible Power Supplies
TI-500 BW	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
TI-500 BWL W/BAT OPT.	any	Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
		AD007001 includes:
		Wall adaptor: P250007381, External, 9 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
		UK Plug: P250990003, BS 1363 plug
TI-500 BWL W/REC BATT	any	Originally shipped with a wall adaptor: P250117236, 9 VDC, 500 mA Female
		Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
TI-500 Plus	any	UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
		AD007004 includes:
		Wall adaptor: P250117348, External, 6 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
TI-500 SS	any	UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117369, 6 VDC, 300 mA Female
		AD007004 includes:
		Wall adaptor: P250117348, External, 6 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
		EU Plug: P250990002, CEE 7/16 plug
TI-500 SSB	any	UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117369, 6 VDC, 300 mA Female
		Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
TI-500E	any	EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
TI-500E SD	any	Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
		Wall adaptor: P250116238, External, 12VDC, 500 mA, Female
		Originally shipped with wall adaptor: P250116237, 12 VDC, 500 mA Female
		AD007001 includes:
		Wall adaptor: P250007381, External, 9 VDC,600 mA, Female
		US Plug: P250990001, NEMA 1-15 plug
		Compatible international plugs:
TI-600E SS	any	EU Plug: P250990002, CEE 7/16 plug
		UK Plug: P250990003, BS 1363 plug
		Originally shipped with a wall adaptor: P250117236, 9 VDC, 500 mA Female
		Power Brick: P250117356, Internal, 12 VDC, 2A, Female
		US Power Cord: P328130009, NEMA 1-15 plug, S&T
		EU Power Cord: 328100021, CEE 7/16 plug, S&T
		UK Power Cord: 328100023, BS 1363 plug, S&T
		Some shipped with wall adaptor: P250116237, 12 VDC, 500 mA Female

Model	S/N	Compatible Power Supplies		
TI-1000 / TI-1001	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female		
		Approved alternative is AD007003 which includes:		
		Power Brick: P250117356, External, 12 VDC, 2A, Female		
		US Power Cord: 328100002, NEMA 1-15 plug		
		Compatible international power cords:		
		EU Power Cord: 328100001, CEE 7/16 plug		
		UK Power Cord: 328100003, BS 1363 plug		
TI-1500	any	Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female		
		Power Brick: P250117356, Internal, 12 VDC, 2A, Female		
		US Power Cord: 328100002, NEMA 1-15 plug		
		EU Power Cord: 328100001, CEE 7/16 plug		
		UK Power Cord: 328100003, BS 1363 plug		
		Originally shipped with internal CITA 12 V 1.6A adaptor		
		TI-1520	any	Power Brick: P250117356, Internal, 12 VDC, 2A, Female
US Power Cord: P328130009, NEMA 1-15 plug, S&T				
EU Power Cord: 328100021, CEE 7/16 plug, S&T				
UK Power Cord: 328100023, BS 1363 plug, S&T				
Originally shipped with internal CITA 12 V 1.6A adaptor				
TI-1600	any			Power Brick: P250117356, Internal, 12 VDC, 2A, Female
				US Power Cord: 328100002, NEMA 1-15 plug
		EU Power Cord: 328100001, CEE 7/16 plug		
		UK Power Cord: 328100003, BS 1363 plug		
		Originally shipped with internal CITA 12 V 1.6A adaptor		
		TI-1620	any	Power Brick: P250117356, Internal, 12 VDC, 2A, Female
				US Power Cord: P328130009, NEMA 1-15 plug, S&T
EU Power Cord: 328100021, CEE 7/16 plug, S&T				
UK Power Cord: 328100023, BS 1363 plug, S&T				
Originally shipped with internal CITA 12 V 1.6A adaptor				
TI-2100 / TI-2200	any			n/a - Indicator plugs into wall socket
NEPTUNE 4500	any	Power Brick: P250117356, Internal, 12 VDC, 2A, Female		
		US Power Cord: P328130009, NEMA 1-15 plug, S&T		
		EU Power Cord: 328100021, CEE 7/16 plug, S&T		
		UK Power Cord: 328100023, BS 1363 plug, S&T		
		Originally shipped with internal CITA 12 V 1.6A adaptor		
		NEPTUNE 5500	any	Power Brick: P250117356, Internal, 12 VDC, 2A, Female
				US Power Cord: P328130009, NEMA 1-15 plug, S&T
EU Power Cord: 328100021, CEE 7/16 plug, S&T				
UK Power Cord: 328100023, BS 1363 plug, S&T				
Originally shipped with internal CITA 12 V 1.6A adaptor				
NEPTUNE 6500	any			Wall adaptor: P250007381, External, 9 VDC, 600 mA, Female
				US Plug: P250990001, NEMA 1-15 plug
		EU Plug: P250990002, CEE 7/16 plug		
		UK Plug: P250990003, BS 1363 plug		
		Originally shipped with a wall adaptor: P250117236, 9 VDC, 500 mA Female		
		Some units shipped with internal CITA 12 V 1.6A adaptor		
		TC-100	any	Wall adaptor: P250116110, external, 9 VDC 500 mA, Male
TC-200 / TC-2001 / TC-2005 / TC-2010	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female		
		Approved alternative is AD007003 which includes:		
		Power Brick: P250117356, External, 12 VDC, 2A, Female		
		US Power Cord: 328100002, NEMA 1-15 plug		
		Compatible international power cords:		
		EU Power Cord: 328100001, CEE 7/16 plug		
		UK Power Cord: 328100003, BS 1363 plug		
MCS	any	Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female		
		Some units shipped with a 24V battery charger		
		Wall adaptor: P250116110, external, 9 VDC 500 mA, Male		

Model	S/N	Compatible Power Supplies
CSM	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
DCSG	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
Some units shipped with a 24V battery charger		
ESW	any	Wall adaptor: AD001001, external, 9 VDC 100 mA, Male
SPC-150	any	Wall adaptor: AD001001, external, 9 VDC 100 mA, Male
SPC-400 (new)	n/a	Wall adaptor: AD001002, external, 9 VDC 200 mA, Female
SPC-400	n/a	Wall adaptor: AD001001, external, 9 VDC 100 mA, Male
PC-150	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
SP-60 / SP-100	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female
SPL-100/150	any	Wall adaptor: P250116238, External, 12VDC, 500 mA, Female
		Originally shipped with wall adaptor: P250116237, 12 VDC, 500 mA Female
SPS-5	any	Wall adaptor: AD001001, external, 9 VDC 100 mA, Male
SPS-30 / SPS-30+	any	Wall adaptor: 250116201, external, 12 VDC 500 mA, Male
SPS-70 / SPS-150	any	Wall adaptor: P250116255, 12 VDC, 1000 mA, Female
		Approved alternative is AD007003 which includes:
		Power Brick: P250117356, External, 12 VDC, 2A, Female
		US Power Cord: 328100002, NEMA 1-15 plug
		Compatible international power cords:
		EU Power Cord: 328100001, CEE 7/16 plug
		UK Power Cord: 328100003, BS 1363 plug
		Originally shipped with wall adaptor: P250116240, 12 VDC, 800 mA Female